

## How much do you know about HIV/AIDS?

Questions	Yes	No
1. You can become HIV infected in the swimming pool, in a bath, by touching or kissing an HIV infected person.		
2. People who are living with HIV look different from everyone else.		
3. HIV/AIDS is incurable.		
4. Only people who are drug addicts need to get tested for HIV.		
5. Only drug addicts and homosexual men have to worry about HIV infection		
6. A woman can become infected with HIV by performing oral sex without a condom.		
7. An HIV-positive woman who is pregnant can take medicines to lower the chances of her baby being born with HIV.		
8. Women who use a diaphragm are not likely to be infected with HIV.		
9. The risk to be infected with HIV is twice as high for a bisexual person.		
10. Unprotected anal sex is only risky for gay and bisexual men, heterosexual women do not run the same risks.		
11. HIV/AIDS is no longer as dangerous as it was in the past because there is a cure available.		
12. If a woman and her partner each had sex with other people before they got together, but have now been together for two years and the woman is going to start taking the birth control pill, they don't need to get tested for HIV.		
13. If you are HIV infected, you know because you feel sick.		
14. Because of improved HIV and AIDS drug therapies infected people are living longer in developed countries.		
15. HIV is present in the bodyfluids and blood of infected men.		
16. HIV is present in the blood and vaginal fluids of infected women.		
17. HIV-positive women may breast-feed their babies.		
18. It is safe to have friendships and give support to HIV and AIDS infected people.		
19. Some people who do not know about their HIV infections in their teens or early twenties may not develop AIDS or get sick for another 10 years.		
20. New HIV/AIDS drug treatments have lowered the number of AIDS cases and AIDS related deaths in the UK, because they help infected people stay healthy for longer		
Questions	Yes	No

## How much do you know about HIV/AIDS?

1.	You can become HIV infected in the swimming pool, in a bath, by touching or kissing an HIV infected person.		X
2.	People who are living with HIV look different from everyone else.		X
3.	HIV/AIDS is incurable.	X	
4.	Only people who are drug addicts need to get tested for HIV.		X
5.	Only drug addicts and homosexual men have to worry about HIV infection		X
6.	A woman can become infected with HIV by performing oral sex without a condom.	X	
7.	An HIV-positive woman who is pregnant can take medicines to lower the chances of her baby being born with HIV.	X	
8.	Women who use a diaphragm are not likely to be infected with HIV.		X
9.	The risk to be infected with HIV is twice as high for a bisexual person.		X
10.	Unprotected anal sex is only risky for gay and bisexual men, heterosexual women do not run the same risks.		X
11.	HIV/AIDS is no longer as dangerous as it was in the past because there is a cure available.		X
12.	If a woman and her partner each had sex with other people before they got together, but have now been together for two years and the woman is going to start taking the birth control pill, they don't need to get tested for HIV.		X
13.	If you are HIV infected, you know because you feel sick.		X
14.	Because of improved HIV and AIDS drug therapies infected people are living longer in developed countries.	X	
15.	HIV is present in the body fluids and blood of infected men.	X	
16.	HIV is present in the blood and vaginal fluids of infected women.	X	
17.	HIV-positive women may breast-feed their babies.	X	
18.	It is safe to have friendships and give support to HIV and AIDS infected people.	X	
19.	Some people who do not know about their HIV infections in their teens or early twenties may not develop AIDS or get sick for another 10 years.	X	
20.	New HIV/AIDS drug treatments have lowered the number of AIDS cases and AIDS related deaths in the U K because they help infected people stay healthy for longer.	X	